


INNOVATE WITH CONFIDENCE



A valmont  COMPANY



2	PERFORATED
12	DRAGONSCALE
13	WIRE
18	EXPANDED
22	TRANSIT
27	HI-LIGHT
31	ATMOSPHERE
34	PIC PERF
38	HORIZONTAL SCREENING
39	PROFILES
62	FIXING SYSTEMS



PERFORATED




REFER PAGE 49




PERFORATED



PERFORATED



REFER PAGE 49



REFER PAGE 49

PERFORATED


TCA COMMUTER CAR PARK

BATES SMART

ANODISED ALUMINIUM PERFORATED



PERFORATED




REFER PAGE 49




REFER PAGE 49

PERFORATED



PERFORATED



REFER PAGE 49



PERFORATED


REFER PAGE 54

LOCKER

A valmont COMPANY



PERFORATED




REFER PAGE 50

BOX HILL INSTITUTE,

BOX HILL VIC

SPOWERS

PERFORATED METAL



PERFORATED



REFER PAGE 49



DRAGONSCALE



REFER PAGE 53



REFER PAGE 39

WIRE

ALBANY HIGH SCHOOL,

AUCKLAND NZ,

ARROW INTERNATIONAL

IKON MESH



WIRE



REFER PAGE 42



WIRE

REFER PAGE 44

BENDIGO CAR PARK,


BENDIGO VIC

PEDDLE THORP

BOSTON 705




WIRE



REFER PAGE 39

LOCKER
A valmont COMPANY




WIRE



REFER PAGE 43



EXPANDED




REFER PAGE 59




EXPANDED



REFER PAGE 57



EXPANDED




REFER PAGE 57




REFER PAGE 57

EXPANDED



TRANSIT




REFER PAGE 45




REFER PAGE 47


TRANSIT



TRANSIT



REFER PAGE 45



REFER PAGE 45


TRANSIT

LOCKER

A valmont COMPANY



TRANSIT




REFER PAGE 45



HI - LIGHT


REFER PAGE 61



HI-LIGHT



REFER PAGE 61



HI - LIGHT


REFER PAGE 61



HI-LIGHT




REFER PAGE 61




ATMOSPHERE




ATMOSPHERE





ATMOSPHERE



PIC PERF






PIC PERF

PERTH ARENA, PERTH WA

ARM ARCHITECTURE & CAMERON CHISHOLM NICOL

PIC PERF



PIC PERF





PIC PERF



HORIZONTAL SCREENING



ANTIQUITA II



MATERIAL	BRASS
WIDTH	2400
WEIGHT	2.99 (KG/M ²)
OPEN AREA	55%
STOCK STATUS	CUSTOM MADE
APPLICATION	INFILL PANELS, BALUSTRADES

BOSTON 705



MATERIAL	T316 (S/S), T304 (S/S), GALVANISED ALUMINIUM
WIDTH	2400
WEIGHT	6.2 (KG/M ²)
OPEN AREA	72%
STOCK STATUS	CUSTOM MADE
APPLICATION	SECURITY, BALUSTRADES, CLADDING

BOSTON 311



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	8.15 (KG/M ²)
OPEN AREA	63%
STOCK STATUS	CUSTOM MADE
APPLICATION	SECURITY, BALUSTRADES, CLADDING

CIVIC 520



MATERIAL	T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	9.70 (KG/M ²)
OPEN AREA	55%
STOCK STATUS	CUSTOM MADE
APPLICATION	SECURITY, BALUSTRADES, CLADDING


* Images are not to scale

FINE 250



MATERIAL	T316 (S/S)
WIDTH	1220
WEIGHT	0.20 (KG/M ²)
OPEN AREA	37%
STOCK STATUS	EX STOCK
APPLICATION	INFILL PANELS, SCREENS, SOFT FURNISHINGS

IKON 111




MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	3.5 (KG/M ²)
OPEN AREA	58%
STOCK STATUS	CUSTOM MADE
APPLICATION	CEILINGS, INFILL PANELS, CLADDING



A valmont COMPANY

* Images are not to scale

IKON 141



MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	4.85 (Kg/m ²)
OPEN AREA	45%
STOCK STATUS	CUSTOM MADE
APPLICATION	CEILINGS, BALUSTRADES, CLADDING


IKON 205



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	6.1 (Kg/m ²)
OPEN AREA	69%
STOCK STATUS	CUSTOM MADE
APPLICATION	BALUSTRADES, CLADDING

* Images are not to scale

IKON 511



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	1500
WEIGHT	7.4 (KG/M ²)
OPEN AREA	69%
STOCK STATUS	CUSTOM MADE
APPLICATION	BALUSTRADES, CLADDING

PLANAR 441




MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	4.8 (KG/M ²)
OPEN AREA	57%
STOCK STATUS	CUSTOM MADE
APPLICATION	CEILINGS, BALUSTRADES, CLADDING

QUAD 306



MATERIAL	T316 (S/S), BRASS
WIDTH	2400
WEIGHT	7.1 (Kg/m ²)
OPEN AREA	38%
STOCK STATUS	CUSTOM MADE
APPLICATION	BALUSTRADES, CLADDING, PRIVACY SCREEN

WEAVE 1020




MATERIAL	T304 (S/S)
WIDTH	1525
WEIGHT	4.11 (Kg/m ²)
OPEN AREA	41%
STOCK STATUS	EX STOCK
APPLICATION	SCREENS, INFILL PANELS

TRANSIT 091




MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	2.64 (Kg/M ²)
OPEN AREA	76%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, CURTAINS, CEILINGS

TRANSIT 210




MATERIAL	T316 (S/S), GALVANISED/BRASS
WIDTH	5000
WEIGHT	4.56 (Kg/M ²)
OPEN AREA	56%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, CURTAINS CEILINGS

TRANSIT F160



MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	10.2 (Kg/m ²)
OPEN AREA	19%
STOCK STATUS	CUSTOM MADE
APPLICATION	FACADES, CURTAINS, SUNSHADES


TRANSIT F281



MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	8.6 (Kg/m ²)
OPEN AREA	30%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, ROLLER CURTAINS

* Images are not to scale

TRANSIT F360




MATERIAL	T316 (S/S)
WIDTH	5000
WEIGHT	10.8 (Kg/M²)
OPEN AREA	61%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, FEATURES

ARGOS




MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	4000
WEIGHT	5.2 (Kg/M²)
OPEN AREA	50.6%
THICKNESS	4.5MM
STOCK STATUS	CUSTOM MADE

CIRRUS



MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	4000
WEIGHT	5.2 (Kg/M ²)
OPEN AREA	44.3%
THICKNESS	3.0MM
STOCK STATUS	CUSTOM MADE

QUAD 160



MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	1900
WEIGHT	2.8 (Kg/M ²)
OPEN AREA	42.3%
THICKNESS	1.3MM
STOCK STATUS	CUSTOM MADE


* Images are not to scale

STRATUS




MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	4000
WEIGHT	6.8 (Kg/M ²)
OPEN AREA	44%
THICKNESS	4.0MM
STOCK STATUS	CUSTOM MADE

TITAN 190




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	51%
THICKNESS	1.6-5.0MM (A) 2.5-5.0MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

TITAN 120




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	49%
THICKNESS	1.6-10.0MM (A) 0.9 -6.0MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

NICHE 250




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	40%
THICKNESS	1.2-5.0MM (A) 1.2-2.5MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	FACADES, SECURITY SCREENS INFILL PANELS, PARTITIONS, BALUSTRADES

ECLIPSE 600




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	40%
THICKNESS	1.2 - 6.0MM (A) 0.9 - 4.0MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	FACADES, SECURITY SCREENS INFILL PANELS, PARTITIONS BALUSTRADES

APOLLO 300




MATERIAL	ALUMINIUM T304 (S/S), T316 (S/S)
MAX WIDTH	1220
OPEN AREA	30%
THICKNESS	1.0 -3.0MM (A) 0.5-1.5MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

CLARITY 800



MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1220
OPEN AREA	62%
THICKNESS	1.0 -3.0MM (A) 0.5-1.5MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

FORTE 800



MATERIAL	T316 (S/S), STEEL, ALUMINIUM
MAX WIDTH	1200
OPEN AREA	53%
THICKNESS	1.0-2.0MM (S), 0.9 -1.5 (S/S), 1.0-3.0MM (A)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS (INTERNAL OR EXTERNAL) FENCING, BALUSTRADE INFILL, PARTITIONS CAR PARK SCREENS


* Images are not to scale

DRAGONSCALE




MATERIAL	ALUMINIUM, CORTEN
OPEN AREA	63%
THICKNESS	30MM (A) 1.6MM (C)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREEN, DECORATIVE SCREEN

SHEER 2800




MATERIAL	STEEL, ALUMINIUM
MAX WIDTH	1200
OPEN AREA	73%
THICKNESS	2.0MM (S) 3.0MM (A)
WEIGHT	4.24 (KG/M2) (S) 2.2 (KG/M²) (A)
STOCK STATUS	CUSTOM MADE

SAFE T PERF 6 STILLETTO



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
WIDTH	1220
OPEN AREA	4%
THICKNESS	1.6-3.0MM (A), 1.2-2.5MM (S)
WEIGHT	4.24 (KG/M2) (S) 2.2 (KG/M2) (A)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS, NON SLIP FLOORING TREADS PLANKS PARTITIONS, STILETTO PROOF FLOORS

SAFE T PERF 14 UNIVERSAL



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
WIDTH	1400
OPEN AREA	13%
THICKNESS	2.5MM (S), 3.0-4.0 MM (A), 1.20-2.0MM (S/S)
STOCK STATUS	EX - STOCK, SELECTED PROFILES AND CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS, NON SLIP FLOORING, PLANKS, PLATFORMS, SUN SHADES PARTITIONS

* Images are not to scale

SAFE T PERF 19 STOCK CRATE



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
WIDTH	1400
OPEN AREA	23%
THICKNESS	2.5-4.0MM (A), 1.2-2.0MM (S/S)
STOCK STATUS	EX STOCK SELECTED PROFILES AND CUSTOM MADE 3.0-4.0 MM ALUMINIUM
APPLICATIONS	DECORATIVE SCREENS, NON SLIP FLOORING TREADS, PLANKS, PLATFORMS, SUN SHADES, PARTITIONS

AERO




MATERIAL	ALUMINIUM
WIDTH	1500
OPEN AREA	56%
THICKNESS	3.0, 4.0, 5.0MM
STOCK STATUS	CUSTOM MADE
APPLICATION	CAR PARK SCREENS, FACADES, SECURITY SCREENS, INFILL PANELS BALUSTRADES

RIBBON



MATERIAL	ALUMINIUM
WIDTH	1500
OPEN AREA	51%
THICKNESS	3-5MM
STOCK STATUS	CUSTOM MADE
APPLICATION	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS, PARTITIONS BALUSTRADES


JE PROFILE



MATERIAL	STEEL, ALUMINIUM
OPEN AREA	27-45%
WEIGHT	13-17 (KG/M ²) (S)
NOMINAL SIZE OF MESH	LWM 19 SWM 11
THICKNESS	3.0MM
STOCK STATUS	EX STOCK
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, BALUSTRADES


* Images are not to scale

09-16



MATERIAL	STEEL, ALUMINIUM, STAINLESS STEEL
WEIGHT	6.2 (Kg/M ²) (S) 2.2 (Kg/M ²) (A)
NOMINAL SIZE OF	MESH LWM 28 SWM 9
THICKNESS	1.6MM
OPEN AREA	48-56%
STOCK STATUS	Ex Stock
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, BALUSTRADES

L7616G LOUVRE




MATERIAL	GALVANISED, ALUMINIUM
WEIGHT	4.02 (Kg/M ²) (A)
NOMINAL SIZE OF	MESH LWM 76 SWM 16
THICKNESS	1.6MM
OPEN AREA	21-66%
STOCK STATUS	Ex Stock
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, SUNSCREEN



A valmont COMPANY


* Images are not to scale

19-30



MATERIAL	ALUMINIUM, STEEL, T304 (S/S), T316 (S/S)
WEIGHT	8.3 (KG/M ²) (S) 2.9 (KG/M ²) (A)
NOMINAL SIZE OF	MESH LWM 50 SWM 19
THICKNESS	3.0MM
OPEN AREA	67-74%
STOCK STATUS	Ex Stock
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS

1225




MATERIAL	STEEL, ALUMINIUM
WEIGHT	14 (KG/M ²) (S)
NOMINAL SIZE OF	MESH LWM 30 SWM 12
THICKNESS	2.5MM
OPEN AREA	26%
STOCK STATUS	Ex Stock
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, BALUSTRADES

SUN919A



MATERIAL	ALUMINIUM
WEIGHT	6.33 (KG/M ²)
NOMINAL SIZE OF MESH	LWM 135 SWM45
OPEN AREA	25%
THICKNESS	3.0MM
STOCK STATUS	CUSTOM MADE

SUN20



MATERIAL	ALUMINIUM / GALVABOND / STEEL
WEIGHT	3.6 (KG/M ²)(A) 10.5 (KG/M ²)(S)
NOMINAL SIZE OF MESH	LWM 120 SWM 34
OPEN AREA	35%
THICKNESS	1.6/2.0MM
STOCK STATUS	CUSTOM MADE

SUN636



MATERIAL	ALUMINIUM, GALVABOND, STEEL
WEIGHT	3.6 (Kg/m ²)(A) 9.7 (Kg/m ²)(S)
NOMINAL SIZE OF MESH	LWM 75 SWM 30
OPEN AREA	23%
THICKNESS	1.6MM
STOCK STATUS	CUSTOM MADE

LM252625A



MATERIAL	ALUMINIUM
WEIGHT	5.0 (Kg/m ²)
NOMINAL SIZE OF MESH	LWM 175 SWM 30
OPEN AREA	26%
THICKNESS	2.5MM
STOCK STATUS	CUSTOM MADE



SENTINEL LOUVRE



SENTINEL GRATING



ELIPSA (GLOVE SIDE MOUNT)



LINEAR BOX SECTION



LINEAR NOSING



LINEAR END CAP



T BAR SECTION




DAYLIGHT SAVING SCREEN




SC PROFILE


HI - LIGHT



L3.0A CAP FIXING SYSTEM




L2.0A FLAT BAR FIXING SYSTEM



L5.1A PETITE APERTURE TENSION FIXING SYSTEM




TRANSIT CURTAIN SCREWS



L1.0A ANGLE FIXING SYSTEM




L4.0A SPIDER FIXING SYSTEM



5.2 LARGE APERTURE FIXING SYSTEM



EC1 CLAMP



ISOLATOR

FIXING SYSTEMS



A **valmont**  COMPANY

Locker Group Pty. Ltd.

Email: info@locker.com.au

Website: www.locker.com.au

TOLL FREE 1800 635 947

Locker Group (NZ) Limited

Email: sales@lockernz.co.nz

Website: www.lockernz.co.nz

TOLL FREE 0800 285 837

MELBOURNE • SYDNEY • BRISBANE • TOWNSVILLE • DARWIN • ADELAIDE • PERTH • AUCKLAND • WELLINGTON
• CHRISTCHURCH • MUMBAI